Journal of Testing and Evaluation
Author Index to Volume 14
1986

Number	Month of Issue	Pages
1	January	1–60
2	March	61–132
3	May	133–172
4	July	173–228
5	September	229–276
6	November	277–340

A–B

Abboud, B. E.: *see* Hamid, A. A. and Abboud, B. E.

Adams, P. B.: *see* Campbell, D. E. and Adams, P. B.

Adsit, N. R.: Review of *TEQC83: Testing, Evaluation and Quality Control of Composites* edited by Feest, Sept., 274

Alexander, R. M.: Review of *Probabilistic Methods in the Mechanics of Solids and Structures* edited by Eggwertz and Lind, Nov., 332

Alexeeff, G. V. and Packham, S. C.: A suggested role of combustion toxicity in fire risk assessment, Nov., 321

Anderson, A. F.: *see* Elzey, D. M., Henry, A. T., and Anderson, A. F.

Ando, Y.: *see* Fujii, E., Sakai, Y., and Ando, Y.

Ashbee, K. H. R.: Review of *Electron Beam Analysis of Materials* by Loretto, July, 227

Barbrow, L. E.: Review of *SI Units in Radiation Protection and Measurements*, July, 227

Bassim, M. N., Bayoumi, M. R., Hsu, T. R., and Matthews, J. R.: Investigation of dynamic J_{Id} for alloy steel weldments using the split Hopkinson bar, Sept., 229

Bayoumi, M. R.: *see* Bassim, M. N., Bayoumi, M. R., Hsu, T. R., and Matthews, J. R.

Beckers, H. J.:
Precision testing of standardized microbiological methods, Nov., 318
Reference samples for the evaluation of *Salmonella* isolation methods, Sept., 269

Berger, H.: Review of *International Advances in Nondestructive Testing–Vol. 11* edited by McGonnagle, Sept., 274

Berk, S. G. and Mills, B. A.: Factors affecting results of chemotaxis inhibition tests with protozoa, May, 140

Bray, D. E.: Review of *Ultrasonic Transducers for Nondestructive Testing* by Silk, Nov., 332

Buckley, D. H.: *see* Rao, B. C. S. and Buckley, D. H.

C–F

Čadek, J.: *see* Dobeš, F., Zvěřina, O., and Čadek, J.

Campbell, D. E. and Adams, P. B.: Bibliography on clean glass: Supplement I, Sept., 260

Chavez, J. J. M. and Winslow, D. N.: A rapid test for asphalt content of bituminous mixtures, Jan., 28

Chukwunenye, A. O.: *see* Hamid, A. A. and Chukwunenye, A. O.

Cunningham, B.: *see* Johnson, G. C., Holt, A. C., and Cunningham, B.

Dayal, R. K.: *see* Parvathavarthini, N., Dayal, R. K., and Gnanamoorthy, J. B.

Dobeš, F., Zvěřina, O., and Čadek, J.: Modified lever system for constant-stress compressive creep machine, Sept., 271

DuQuesnay, D. L.: *see* Yu, M. T., Topper, T. H., DuQuesnay, D. L., and Pompetzki, M. A.

Dutt, O.: Measurement of granule coverage on bituminous roofing surfaces, May, 163

Dvinskych, E. V.: *see* Yakovlev, S. V. and Dvinskych, E. V.

Elzey, D. M., Henry, A. T., and Anderson, A. F.: A personal computer based thermal-mechanical fatigue test system, May, 152

Fujii, E., Sakai, Y., and Ando, Y.: An evaluation of dynamic fracture toughness of Type A508 Class 3 steel, July, 181

Fukakura, J. and Mori, T.: Estimation of fatigue life at elevated temperature of electron beam weldments of Alloy 718, Jan., 7

Furno, F. J.: *see* Reinhart, F. W. and Furno, F. J.

G–H

Gnanamoorthy, J. B.: *see* Parvathavarthini, N., Dayal, R. K., and Gnanamoorthy, J. B.

Gradin, P. A. and Nilsson, S.: Linear elastic fracture mechanics applied to an adhesive spar—wingskin joint, Nov., 326

Hamid, A. A.
and Abboud, B. E.: Direct modeling of concrete block masonry under shear and in-plane tension, March, 112
and Chukwunenye, A. O.: Effect of bearing plate properties on the behavior of block masonry prisms under axial compression, May, 156

Heger, J. J.: Chromium conservation in stainless steel, May, 160

Hellmann, D. and Schwalbe, K.-H.: On the determination of crack initiation using standard test methods, Nov., 292

Henry, A. T.: *see* Elzey, D. M., Henry, A. T., and Anderson, A. F.

Hoffman, S. D.: Review of *Appliance Switch Standards: Approvals and Safe Electrical Control* by Honey, July, 227

Holt, A. C.: *see* Johnson, G. C., Holt, A. C., and Cunningham, B.

Hsu, T. R.: *see* Bassim, M. N., Bayoumi, M. R. Hsu, T. R., and Matthews, J. R.

Huculak, P.: Development of a constant-K specimen for materials testing, July, 200

Hudson, C. M.: *see* Toor, P. M. and Hudson, C. M.

Hwang, R.: Simple analysis of gluconate in cleaner, March, 128

I–L

Ihara, I.: *see* Kurita, M., Ihara, I., Shinbo, M., and Koguchi, H.

Irvine, C. H.: Evaluation of the effect of contact-time when measuring floor slip resistance, Jan., 19

Javorik, L. J.: Effect of axial compression, July, 213

Johnson, G. C., Holt, A. C., and Cunningham, B.: An ultrasonic method for determining axial stress in bolts, Sept., 253

Jones, M.: A preliminary examination of the laboratory sheen test, May, 133

Kishida, K.: *see* Yokoyama, T. and Kishida, K.

Koguchi, H.: *see* Kurita, M., Ihara, I., Shinbo, M., and Koguchi, H.

Kosuge, M.: *see* Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.

Kurita, M., Ihara, I., Shinbo, M., and Koguchi, H.: Use of X-ray diffraction with the Gaussian curve method to evaluate the hardening in quenched steels, Jan., 33

Laird, C.: *see* Rahka, K. and Laird, C.

Lieff, M.: Review of *Problems in Service Life Prediction of Building and Construction Materials* edited by Masters, Sept., 274

Loria, E. A.: Interpretive report on the sensitization of Type 304 stainless steel, March, 81

M–O

McCabe, D. E.: *see* Pearson, H. S. and McCabe, D. E.

Marchand, N. and Pelloux, R. M.: A computerized test system for thermal-mechanical fatigue crack growth, Nov., 303

Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.: A method for determining conservative

fatigue threshold while avoiding crack closure, Nov., 312
Matthews, J. R.: *see* Bassim, M. N., Bayoumi, M. R., Hsu, T. R., and Matthews, J. R.
Mills, B. A.: *see* Berk, S. G. and Mills, B. A.
Mori, T.: *see* Fukakura, J. and Mori, T.
Morrison, E. J.: *see* Stobart, R. H. and Morrison, E. J.
Narayanan, R.: *see* Rao, G. J., Sankar, K. R., and Narayanan, R.
Naumenko, V. P.: Determination of fracture toughness for brittle nonmetallic materials at the subcritical crack growth stage, March, 76
Nilsson, S.: *see* Gradin, P. A. and Nilsson, S.
Nishijima, S.: *see* Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.
Nogata, F. and Takahashi, H.: Fracture mechanics evaluation of irradiation embrittlement in reactor vessel steels based on the rate process concept, Jan., 40
Ohta, A.: *see* Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.

P-R

Packham, S. C.: *see* Alexeeff, G. V. and Packham, S. C.
Parvathavarthini, N., Dayal, R. K., and Gnanamoorthy, J. B.: A modified metallaographic method to detect sensitization in Type 316 stainless steel, Jan., 3
Pearson, H. S.: Evaluation of plane-stress fracture testing methods, July, 224
Pearson, H. S. and McCabe, D. E.: *R*-curve round-robin program for ASTM Recommended Practice for *R*-Curve Determination (E 561), July, 191
Pelloux, R. M.: *see* Marchand, N. and Pelloux, R. M.
Pompetzki, M. A.: *see* Yu, M. T., Topper, T. H., DuQuesnay, D. L., and Pompetzki, M. A.
Putatunda, S. K.: Determination of fracture toughness by CTOD resistance curve method, Jan., 49
Rahka, K. A. and Laird, C.: Cyclic stress and diametral strain response during high strain amplitude fatigue of a 1Cr-1.3M-0.3V bainitic rotor steel at elevated temperature—Part II, Nov., 277
Poisson's ratio as determined for eleastic and plastic deformation and for monotonic and cyclic loading—Part I: critical review, July, 173
Rao, B. C. S. and Buckley, D. H.: Erosion of phosphor bronze under cavitation attack in a mineral oil, Jan., 13
Rao, G. J., Sankar, K. R., and Narayanan, R.: Determination of calibration constants for hole drilling technique using special strain gage rosette, July, 207
Reichverger, Z.: Using an impact device with sliding drop collar for *in situ* evaluation of compressive strength of insulating cellular concrete, Nov., 298
Reinhart, F. W. and Furno, F. J.: Analysis of service failures in thermoplastic pressure piping water systems, March, 109
Rinehart, E. J.: *In situ* dynamic estimates of the equation of state for alluvium for intermediate pressures and high rates, Sept. 243

S-Z

Sakai, Y.: *see* Fujii, E., Sakai, Y., and Ando, Y.
Sankar, K. R.: *see* Rao, G. J., Sankar, K. R., and Narayanan, R.
Sargent, P. M.: A better way to present results from a least-squares fit to experimental data: an example from microhardness testing, March, 122
Schwalbe, K.-H: *see* Hellmann, D. and Schwalbe, K.-H.
Shimodaira, M.: *see* Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.
Shinbo, M.: *see* Kurita, M., Ihara, I., Shinbo, M., and Koguchi, H.
Stobart, R. H. and Morrison, E. J.: Effect of fiber loss by carding on average fiber diameter of core samples of grease wool, Sept., 266
Takahashi, H.: *see* Nogata, F. and Takahashi, H.
Takeuchi, E.: *see* Matsuoka, S., Takeuchi, E., Kosuge, M., Shimodaira, M., Ohta, A., and Nishijima, S.
Toor, P. M. and Hudson, C. M.: References and conference proceedings towards the understanding of fracture mechanics, March, 61
Topper, T. H.: *see* Yu, M. T., Topper, T. H., DuQuesnay, D. L., and Pompetzki, M. A.
White, R. H.: An empirical model for predicting performance of fire-resistive coatings in wood construction, March, 97
Winslow, D. N.: *see* Chavez, J. J. M. and Winslow, D. N.
Wood, F. W.: Erosion by solid-particle impacts: a testing update, Jan., 23
Wu, S. T.: Review of *Finite Element Analysis of Shells of Revolution* by Gould, July, 228
Yakovlev, S. V. and Dvinskych, E. V.: Wastewater sludge treatment and utilization in the USSR, May, 168
Yokoyama, T. and Kishida, K.: A microcomputer-based system for the high-speed compression test by the split Hopkinson pressure bar technique, Sept., 236
Yu, M. T., Topper, T. H., DuQuesnay, D. L., and Pompetzki, M. A.: Fatigue crack growth threshold and crack opening of a mild steel, May, 145
Zvěřina, O.: *see* Dobeš, F., Zvěřina, O., and Čadek, J.

Journal of Testing and Evaluation
Subject Index to Volume 14
1986

A–B

Abrasives
Erosion by solid-particle impacts: a testing update (Wood), Jan., 23
Adhesive bonding
Linear elastic fracture mechanics applied to an adhesive spar—wingskin joint (Gradin and Nilsson), Nov., 326
Alloy 718
Estimation of fatigue life at elevated temperature of electron beam weldments of Alloy 718 (Fukakura and Mori), Jan., 7
Alluvium
In situ dynamic estimates of the equation of state for alluvium for intermediate pressures and high rates (Rinehart), Sept., 243
Asphalt content
A rapid test for asphalt content of bituminous mixtures (Chavez and Winslow), Jan., 28
Axial compression
Effect of axial compression (Javorik), July, 213
Effect of bearing plate properties on the behavior of block masonry prisms under axial compression (Hamid and Chukwunenye), May, 156
Bitumen exposure
Measurement of granule coverage on bituminous roofing surfaces (Dutt), May, 163
Bituminous mixtures
A rapid test for asphalt content of bituminous mixtures (Chavez and Winslow), Jan., 28
Bituminous surface
Measurement of granule coverage on bituminous roofing surfaces (Dutt), May, 163
Bolts
An ultrasonic method for determining axial stress in bolts (Johnson, Holt, and Cunningham), Sept., 253
Book reviews
Appliance Switch Standards: Approvals and Safe Electrical Control by Honey (Hoffman), July, 227
Electron Beam Analysis of Materials by Loretto (Ashbee), July, 227
Finite Element Analysis of Shells of Revolution by Gould (Wu), July, 228
International Advances in Nondestructive Testing–Vol. 11 edited by McGonnagle (Berger), Sept., 274
Probabilistic Methods in the Mechanics of Solids and Structures edited by Eggwertz and Lind (Alexander), Nov., 332
Problems in Service Life Prediction of Building and Construction Materials edited by Masters (Lieff), Sept., 274
SI Units in Radiation Protection and Measurements (Barbrow), July, 227
TEQC83: Testing, Evaluation and Quality Control of Composites edited by Feest (Adsit), Sept., 274
Ultrasonic Transducers for Nondestructive Testing by Silk (Bray), Nov., 332

C

Calibration constants
Determination of calibration constants for hole drilling technique using special strain gage rosette (Rao, Sankar, and Narayanan), July, 207
Carding
Effect of fiber loss by carding on average fiber diameter of core samples of grease wool (Stobart and Morrison), Sept., 266
Cavitation erosion
Erosion of phosphor bronze under cavitation attack in a mineral oil (Rao and Buckley), Jan., 13
Center cracked tension specimen
Development of a constant-*K* specimen for materials testing (Huculak), July, 200
Chemotaxis
Factors affecting results of chemotaxis inhibition tests with protozoa (Berk and Mills), May, 140
Chromium
Chromium conservation in stainless steel (Heger), May, 160
Cleaning
Bibliography on clean glass: Supplement I (Campbell and Adams), Sept., 260
Closure
Fatigue crack growth threshold and crack opening of a mild steel (Yu, Topper, DuQuesnay, and Pompetzki), May, 145
Cold rolling
Fatigue crack growth threshold and crack opening of a mild steel (Yu, Topper, DuQuesnay, and Pompetzki), May, 145
Combustion toxicity
A suggested role of combustion toxicity in fire risk assessment (Alexeeff and Packham), Nov., 321
Compact tension specimen
An evaluation of dynamic fracture toughness of Type A508 Class 3 steel (Fujii, Sakai, and Ando), July, 181
Composite structures
Linear elastic fracture mechanics applied to an adhesive spar—wingskin joint (Gradin and Nilsson), Nov., 326
Compression
Fatigue crack growth threshold and crack opening of a mild steel (Yu, Topper, DuQuesnay, and Pompetzki), May, 145
Compressive loading
Modified lever system for constant-stress compressive creep machine (Dobeš, Zvěřina, and Čadek), Sept., 271
Compressive strength
Using an impact device with sliding drop collar for *in situ* evaluation of compressive strength of insulating cellular concrete (Reichverger), Nov., 298
Concrete blocks
Direct modeling of concrete block masonry under shear and in-plane tension (Hamid and Abboud), March, 112
Effect of bearing plate properties on the behavior of block masonry prisms under axial compression (Hamid and Chukwunenye), May, 156
Constant-*K* specimen
Development of a constant-*K* specimen for materials testing (Huculak), July, 200
Constant stress
Modified lever system for constant-stress compressive creep machine (Dobeš, Zvěřina, and Čadek), Sept., 271
Contaminants
Bibliography on clean glass: Supplement I (Campbell and Adams), Sept., 260
Contraction ratio
Poisson's ratio as determined for elastic and plastic deformation and for monotonic and cyclic loading—Part I: critical review (Rahka and Laird), July, 173
Crack closure
A method for determining conservative fatigue threshold while avoiding crack closure (Matsuoka, Takeuchi, Kosuge, Shimodaira, Ohta, and Nishijima), Nov., 312
Crack growth
A computerized test system for thermal-mechanical fatigue crack growth (Marchand and Pelloux), Nov., 303
Crack initiation
On the determination of crack initiation using standard test methods (Hellmann and Schwalbe), Nov., 292
Crack tip opening displacement
Determination of fracture toughness by CTOD resistance curve method (Putatunda), Jan., 49
On the determination of crack initiation using standard test methods (Hellmann and Schwalbe), Nov., 292

Creep test
Modified lever system for constant-stress compressive creep machine (Dobeš, Zvěřina, and Čadek), Sept., 271

D-E

Diametral strain response
Cyclic stress and diametral strain response during high strain amplitude fatigue of a 1Cr-1.3Mo-0.3V bainitic rotor steel at elevated temperature—Part II (Rahka and Laird), Nov., 277
Direct modeling
Direct modeling of concrete block masonry under shear and in-plane tension (Hamid and Abboud), March, 112
Dynamic fracture toughness
An evaluation of dynamic fracture toughness of Type A508 Class 3 steel (Fujii, Sakai, and Ando), July, 181
Investigation of dynamic J_{Id} for alloy steel weldments using the split Hopkinson bar (Bassim, Bayoumi, Hsu, and Matthews), Sept., 229
Elevated Temperature
Cyclic stress and diametral strain response during high strain amplitude fatigue of a 1Cr-1.3Mo-0.3V bainitic rotor steel at elevated temperature—Part II (Rahka and Laird), Nov., 277
Estimation of fatigue life at elevated temperature of electron beam weldments of Alloy 718 (Fukakura and Mori), Jan., 7
Erosion
Erosion by solid-particle impacts: a testing update (Wood), Jan., 23
Erosion testing
Erosion by solid-particle impacts: a testing update (Wood), Jan., 23

F

Falling accidents
Evaluation of the effect of contact-time when measuring floor slip resistance (Irvine), Jan., 19
Fatigue
A computerized test system for thermal-mechanical fatigue crack growth (Marchand and Pelloux), Nov., 303
Estimation of fatigue life at elevated temperature of electron beam weldments of Alloy 718 (Fukakura and Mori), Jan., 7
Fatigue crack growth
Development of a constant-*K* specimen for materials testing (Huculak), July, 200
References and conference proceedings towards the understanding of fracture mechanics (Toor and Hudson), March, 61
Fatigue (metals)
A personal computer based thermal-mechanical fatigue test system (Elzey, Henry, and Anderson), May, 152
Fatigue threshold
A method for determining conservative fatigue threshold while avoiding crack closure (Matsuoka, Takeuchi, Kosuge, Shimodaira, Ohta, and Nishijima), Nov., 312
Fiber diameter
Effect of fiber loss by according on average fiber diameter of core samples of grease wool (Stobart and Morrison), Sept., 266
Fire endurance
An empirical model for predicting performance of fire-resistive coatings in wood construction (White), March, 97
Fire-resistive coatings
An empirical model for predicting performance of fire-resistive coatings in wood construction (White), March, 97
Fire toxicity
A suggested role of combustion toxicity in fire risk assessment (Alexeeff and Packham), Nov., 321
Floors
Evaluation of the effect of contact-time when measuring floor slip resistance (Irvine), Jan., 19
Food microbiology
Precision testing of standardized microbiological methods (Beckers), Nov., 318
Reference samples for the evaluation of *Salmonella* isolation methods (Beckers), Sept., 269
Four-point bend specimen
On the determination of crack initiation using standard test methods (Hellmann and Schwalbe), Nov., 292
Fracture
Evaluation of plane-stress fracture testing methods (Pearson), July, 224
R-curve round-robin program for ASTM Recommended Practice for *R*-Curve Determination (E 561) (Pearson and McCabe), July, 191
Fracture application
References and conference proceedings towards the understanding of fracture mechanics (Toor and Hudson), March, 61
Fracture mechanics
Fracture mechanics evaluation of irradiation embrittlement in reactor vessel steels based on the rate process concept (Nogata and Takahashi), Jan., 40
References and conference proceedings towards the understanding of fracture mechanics (Toor and Hudson), March, 61
Fracture testing
Evaluation of plane-stress fracture testing methods (Pearson), July, 224
R-curve round-robin program for ASTM Recommended Practice for *R*-Curve Determination (E 561) (Pearson and McCabe), July, 191
Fracture toughness
Determination of fracture toughness by CTOD resistance curve method (Putatunda), Jan., 49
Determination of fracture toughness for brittle nonmetallic materials at the subcritical crack growth stage (Naumenko), March, 76
Fracture toughness testing
Determination of fracture toughness for brittle nonmetallic materials at the subcritical crack growth stage (Naumenko), March, 76

G-K

Glass
Bibliography on clean glass: Supplement I (Campbell and Adams), Sept., 260
Granular protection
Measurement of granule coverage on bituminous roofing surfaces (Dutt), May, 163
Grease wool
Effect of fiber loss by carding on average fiber diameter of core samples of grease wool (Stobart and Morrison), Sept., 266
Heat treatment
Effect of axial compression (Javorik), July, 213
High-speed compression test
A microcomputer-based system for the high-speed compression test by the split Hopkinson pressure bar technique (Yokoyama and Kishida), Sept., 236
High strain-rate tests
A microcomputer-based system for the high-speed compression test by the split Hopkinson pressure bar technique (Yokoyama and Kishida), Sept., 236
Hole drilling technique
Determination of calibration constants for hole drilling technique using special strain gage rosette (Rao, Sankar, and Narayanan), July, 207
***In situ* quality control**
Using an impact device with sliding drop collar for *in situ* evaluation of compressive strengths of insulating cellular concrete (Reichverger), Nov., 298
***In situ* testing**
In situ dynamic estimates of the equation of state for alluvium for intermediate pressures and high rates (Rinehart), Sept., 243
Intergranular corrosion
A modified metallographic method to detect sensitization in Type 316 stainless steel (Parvathavarthini, Dayal, and Gnanamoorthy), Jan., 3
Interpretive report on the sensitization of Type 304 stainless steel (Loria), March, 81
Iodometric method
Simple analysis of gluconate in cleaner (Hwang), March, 128
Irradiation embrittlement
Fracture mechanics evaluation of irradiation embrittlement in reactor vessel steels based on the rate process concept (Nogata and Takahashi), Jan., 40
***J*-integral**
Determination of fracture toughness by CTOD resistance curve method (Putatunda), Jan., 49

L-O

Laboratory quality assurance
Precision testing of standardized microbiological methods (Beckers), Nov., 318
Reference samples for the evaluation of *Salmonella* isolation methods (Beckers), Sept., 269
Lightweight cellular concrete
Using an impact device with sliding drop collar for *in situ* evaluation of compressive strength of insulating cellular concrete (Reichverger), Nov., 298
Linear elastic fracture mechanics
Linear elastic fracture mechanics applied to an adhesive spar—wingskin joint (Gradin and Nilsson), Nov., 326

Loading rates
Investigation of dynamic J_{Id} for alloy steel weldments using the split Hopkinson bar (Bassim, Bayoumi, Hsu, and Matthews), Sept., 229
Low cycle fatigue
Cyclic stress and diametral strain response during high strain amplitude fatigue of a 1Cr-1.3Mo-0.3V bainitic rotor steel at elevated temperature—Part II (Rahka and Laird), Nov., 277
Low-or-non-chromium materials
Chromium conservation in stainless steel (Heger), May, 160
Masonry
Effect of bearing plate properties on the behavior of block masonry prisms under axial compression (Hamid and Chukwunenye), May, 156
Mechanical testing
Poisson's ratio as determined for elastic and plastic deformation and for monotonic and cyclic loading—Part I: critical review (Rahka and Laird), July, 173
Microhardness
A better way to present results from a least-squares fit to experimental data: an example from microhardness testing (Sargent), March, 122
Microindentation
A better way to present results from a least-square fit to experimental data: an example from microhardness testing (Sargent), March, 122
Mild steel
A method for determining conservative fatigue threshold while avoiding crack closure (Matsuoka, Takeuchi, Kosuge, Shimodaira, Ohta, and Nishijima), Nov., 312
Mineral oil
Erosion of phosphor bronze under cavitation attack in a mineral oil (Rao and Buckley), Jan., 13
National Pollution Discharge Elimination Systems (NPDES) Permits
A preliminary examination of the laboratory sheen test (Jones), May, 133
Neutralization method
Simple analysis of gluconate in cleaner (Hwang), March, 128
Nondestructive evaluation
An ultrasonic method for determining axial stress in bolts (Johnson, Holt, and Cunningham), Sept. 253
Oil pollution
A preliminary examination of the laboratory sheen test (Jones), May, 133

P-S

Periodate
Simple analysis of gluconate in cleaner (Hwang), March, 128
Phosphor bronze
Erosion of phosphor bronze under cavitation attack in a mineral oil (Rao and Buckley), Jan., 13
Piping failures
Analysis of service failures in thermoplastic pressure piping water systems (Reinhart and Furno), March, 109
Poisson's ratio
Poisson's ratio as determined for elastic and plastic deformation and for monotonic and cyclic loading—Part I: critical review (Rahka and Laird), July, 173
Precision testing
Precision testing of standardized microbiological methods (Beckers), Nov., 318
Protozoa
Factors affecting results of chemotaxis inhibition tests with protozoa (Berk and Mills), May, 140
Quenching (cooling)
Use of X-ray diffraction with the Gaussian curve method to evaluate the hardening in quenched steels (Kurita, Ihara, Shinbo, and Koguchi), Jan., 33
Rapid-load plane-strain fracture toughness K_{Ic} ( ) testing
An evaluation of dynamic fracture toughness of Type A508 Class 3 steel (Fujii, Sakai, and Ando), July, 181
Rate effects
In situ dynamic estimates of the equation of state for alluvium for intermediate pressures and high rates (Rinehart), Sept., 243
Residual stresses
Determination of calibration constants for hole drilling technique using special strain gage rosette (Rao, Sankar, and Narayanan), July, 207
Risk assessment
A suggested role of combustion toxicity in fire risk assessment (Alexeeff and Packham), Nov., 321
***Salmonella* isolation**
Reference samples for the evaluation of *Salmonella* isolation methods (Beckers), Sept., 269
Sensitization
A modified metallographic method to detect sensitization in Type 316 stainless steel (Parvathavarthini, Dayal, and Gnanamoorthy), Jan., 3
Interpretive report on the sensitization of Type 304 stainless steel (Loria), March, 81
Shear tension
Direct modeling of concrete block masonry under shear and in-plane tension (Hamid and Abboud), March, 112
Sheen
A preliminary examination of the laboratory sheen test (Jones), May, 133
Size effect
A better way to present results from a least-squares fit to experimental data: an example from microhardness testing (Sargent), March, 122
Sliptesting
Evaluation of the effect of contact-time when measuring floor slip resistance (Irvine), Jan., 19
Sludge disposal
Wastewater sludge treatment and utilization in the USSR (Yakovlev and Dvinskych), May, 168
Sludge treatment
Wastewater sludge treatment and utilization in the USSR (Yakovlev and Dvinskych), May, 168
Split Hopkinson pressure bar
A microcomputer-based system for the high-speed compression test by the split Hopkinson pressure bar technique (Yokoyama and Kishida), Sept., 236
Stainless steel
A modified metallographic method to detect sensitization in Type 316 stainless steel (Parvathavarthini, Dayal, and Gnanamoorthy), Jan., 3
Chromium conservation in stainless steel (Heger), May, 160
Steels
Use of X-ray diffraction with the Gaussian curve method to evaluate the hardening in quenched steels (Kurita, Ihara, Shinbo, and Koguchi), Jan., 33
Subcritical crack growth
Determination of fracture toughness for brittle nonmetallic materials at the subcritical crack growth stage (Naumenko), March, 76

T-Z

Temperature
Investigation of dynamic J_{Id} for alloy steel weldments using the split Hopkinson bar (Bassim, Bayoumi, Hsu, and Matthews), Sept., 229
Tempering
Use of X-ray diffraction with the Gaussian curve method to evaluate the hardening in quenched steels (Kurita, Ihara, Shinbo, and Koguchi), Jan., 33
Test method
A rapid test for asphalt content of bituminous mixtures (Chavez and Winslow), Jan., 28
Thermal fatigue
A personal computer based thermal-mechanical fatigue test system, May (Elzey, Henry, and Anderson), 152
Thermal-mechanical fatigue
A computerized test system for thermal-mechanical fatigue crack growth (Marchand and Pelloux), Nov., 303
A personal computer based thermal-mechanical fatigue test system (Elzey, Henry, and Anderson), May, 152
Thermoplastic piping
Analysis of service failures in thermoplastic pressure piping water systems (Reinhart and Furno), March, 109
Toughness
Evaluation of plane-stress fracture testing methods (Pearson), July, 224
R-curve round-robin program for ASTM Recommended Practice for *R*-Curve Determination (E 561) (Pearson and McCabe), July, 191
Toughness evaluation
Fracture mechanics evaluation of irradition embrittlement in reactor vessel steels based on the rate process concept (Nogata and Takahashi), Jan., 40
Toxicity tests
Factors affecting results of chemotaxis inhibition tests with protozoa (Berk and Mills), May, 140
Type 304 stainless steel
Interpretive report on the sensitization of Type 304 stainless steel (Loria), March, 81

Ultrasonic
An ultrasonic method for determining axial stress in bolts (Johnson, Holt, and Cunningham), Sept., 253
Wastewater sludges
Wastewater sludge treatment and utilization in the USSR (Yakovlev and Dvinskych), May, 168
Water systems
Analysis of service failures in thermoplastic pressure piping water systems (Reinhart and Furno), March, 109
Wood
An empirical model for predicting performance of fire-resistive coatings in wood construction (White), March, 97
Work hardening
Effect of axial compression (Javorik), July, 213